

PANDOMO IMPREGNATION



Safety Data Sheet

according to Regulation (EU) 2015/830
Date of issue: 3/6/2019 Revision date:

Supersedes:

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : PANDOMO IMPREGNATION
Product code : 4900

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Construction materials
Industrial/Professional use spec : For professional use only
Use of the substance/mixture : PANDOMO
Coating

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

ARDEX Baustoff GmbH
Hürmer Str. 40
A-3382 Loosdorf - Österreich
T +43/2754/7021-0 - F +43/2754/2490
E-mail address of competent person responsible for the SDS : produktion@ardex.at

1.4. Emergency telephone number

Emergency number : +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H226 - Flammable liquid and vapour.
H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 - Wear protective gloves, protective clothing, eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P403+P235 - Store in a well-ventilated place. Keep cool.

PANDOMO IMPREGNATION

Safety Data Sheet

according to Regulation (EU) 2015/830

Extra phrases : Dispose of contents/container in accordance with regional/national/international/local regulations.

2.3. Other hazards

Other hazards not contributing to the classification : Produkt hydrolysiert unter Bildung von Methanol (CAS-Nr. 67-56-1). Methanol ist bzgl. physikalischer Gefahren und Gesundheitsgefahren eingestuft. Die Hydrolysegeschwindigkeit und somit auch die Relevanz für das Gefährdungspotential des Produktes sind stark abhängig von den spezifischen Bedingungen. Refer to section 11.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Polysiloxan, modifiziert

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
tetrabutyl titanate	(CAS-No.) 5593-70-4 (EC-No.) 227-006-8 (REACH-no) 01-2119967423-33	>=1-<3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335
methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	>=0,3-<1	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370

Specific concentration limits:

Name	Product identifier	Specific concentration limits
methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	(3 =<C < 10) STOT SE 2, H371 (10 =<C < 100) STOT SE 1, H370

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Evacuate personnel to a safe area.
First-aid measures after inhalation : Make the person rest. Make the affected person rest and keep at warm. If you feel unwell, seek medical advice.
First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If you feel unwell, seek medical advice.
First-aid measures after eye contact : If eye irritation persists: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion : If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : If symptoms persist call a doctor.

4.3. Indication of any immediate medical attention and special treatment needed

Methanol (CAS 67-56-1) wird über alle Expositionsrouten gut und schnell resorbiert und ist unabhängig von der Art der Aufnahme giftig. Methanol kann zu Reizungen der Schleimhäute, Übelkeit, Erbrechen, Kopfschmerzen, Schwindelgefühl und Sehstörungen führen, sowie zu Erblindung (irreversible Schädigung des Sehnervs), Azidose, Muskelkrämpfe und Koma. Es kann nach Exposition zu Verzögerungen beim Auftreten dieser Effekte kommen. Weitere Informationen zur Toxikologie im Abschnitt 11 sind zu beachten.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. Sand. extinguishing powder. Water spray. Water fog. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustion produces dangerous gases. Decomposition products may be a hazard to health. Hazardous combustion products.
Explosion hazard : None.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

PANDOMO IMPREGNATION

Safety Data Sheet

according to Regulation (EU) 2015/830

5.3. Advice for firefighters

- Precautionary measures fire : Evacuate area.
Protection during firefighting : Self-contained breathing apparatus.
Other information : Do not use water jet. In case of fire and/or explosion do not breathe fumes. On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Clean up any spills as soon as possible, using an absorbent material to collect it. Wear personal protective clothing (see chapter 8). Spills of this product present a serious slipping hazard. Produkt hydrolysiert unter Bildung von Methanol (CAS-Nr. 67-56-1). Methanol ist bzgl. physikalischer Gefahren und Gesundheitsgefahren eingestuft. Die Hydrolysegeschwindigkeit und somit auch die Relevanz für das Gefährdungspotential des Produktes sind stark abhängig von den spezifischen Bedingungen.

6.1.1. For non-emergency personnel

- Protective equipment : Concerning personal protective equipment to use, see section 8.
Emergency procedures : Avoid contact with skin and eyes. Do not breathe gas/fumes/vapour/spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Do not allow to enter drains or water courses.

6.2. Environmental precautions

Stop leak without risks if possible. Contain the spilled material by bunding. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Do not allow to enter drains or water courses. Advise local authorities if considered necessary.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Dispose of in accordance with relevant local regulations.
Methods for cleaning up : Mechanically recover the product. Do not flush with water.
Other information : Vapour extraction at source. Eliminate ignition sources. Explosionsschutz beachten. Refer to protective measures listed in Sections 7 and 8.

6.4. Reference to other sections

See Heading 8. See Heading 7. See Heading 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : See Heading 8. See Heading 10.
Precautions for safe handling : Produkt hydrolysiert unter Bildung von Methanol (CAS-Nr. 67-56-1). Methanol ist bzgl. physikalischer Gefahren und Gesundheitsgefahren eingestuft. Die Hydrolysegeschwindigkeit und somit auch die Relevanz für das Gefährdungspotential des Produktes sind stark abhängig von den spezifischen Bedingungen. Ensure a very good ventilation of the work station. Wear personal protective equipment. Provide local exhaust or free room ventilation. Spills of this product present a serious slipping hazard. Prevent aerosol formation or splashes. Take precautionary measures against static discharge.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Prevent the build-up of electrostatic charge.
Storage conditions : Store in original container. Store in a dry, cool area. Protect from sunlight.
Storage area : Store in a well-ventilated place. Produkt kann Methanol abspalten. Dämpfe können in geschlossenen Räumen mit Luft Gemische bilden, die in Gegenwart von Zündquellen zur Explosion führen, auch in leeren, ungereinigten Behältern. Von Zündquellen fernhalten und nicht rauchen. Maßnahmen gegen elektrostatische Aufladung treffen. Gefährdete Behälter mit Wasser kühlen.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

methanol (67-56-1)		
EU	Local name	Methanol
EU	IOELV TWA (mg/m ³)	260 mg/m ³
EU	IOELV TWA (ppm)	200 ppm
EU	Notes	skin
Austria	Local name	Methanol

PANDOMO IMPREGNATION

Safety Data Sheet

according to Regulation (EU) 2015/830

methanol (67-56-1)		
Austria	MAK (mg/m ³)	260 mg/m ³
Austria	MAK (ppm)	200 ppm
Austria	MAK Short time value (mg/m ³)	1040 mg/m ³
Austria	MAK Short time value (ppm)	800 ppm
Austria	Remark (AT)	H
Germany	TRGS 903 Remark	Methanol (CAS-Nr. 67-56-1): Überschreitungsfaktor 4(II); hautresorptiv; Anmerkungen DFG, EU und Y (= ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet werden. (Stand: Januar 2006)

8.2. Exposure controls

Appropriate engineering controls:

Ensure a very good ventilation of the work station.

Personal protective equipment:

Use splash goggles when eye contact due to splashing is possible. Protective goggles. If inhalation exposure above the workplace exposure limit can not be excluded, appropriate respiratory protective equipment should be used. Self-contained breathing apparatus.

Hand protection:

Wear suitable gloves. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0,5		EN ISO 374
Reusable gloves	Butyl rubber	6 (> 480 minutes)	0,5		EN ISO 374

Eye protection:

Safety glasses

Skin and body protection:

Open handling: . Use chemically protective clothing. , possibly liquid-tight full protective suitFull suit required. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Respiratory protection:

If inhalation exposure above the workplace exposure limit can not be excluded, appropriate respiratory protective equipment should be used. Wear a self contained breathing apparatus



Environmental exposure controls:

Avoid release to the environment.

Other information:

Observe general hygiene measures when handling chemicals. Do not breathe gas/vapour/aerosol. Use only with adequate ventilation. Avoid contact with skin and eyes. Preventive skin protection is recommended. Take off immediately all contaminated clothing. Regular cleaning of equipment and work area. Provide showers and eye showers. When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless. yellowish.
Odour	: pleasant.
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available

PANDOMO IMPREGNATION

Safety Data Sheet

according to Regulation (EU) 2015/830

Boiling point	: 180 °C (at 1013 hPa)
Flash point	: 40 °C (Further burnability > 110°C)
Auto-ignition temperature	: > 300 °C
Decomposition temperature	: Not determined
Flammability (solid, gas)	: Not self-igniting
Vapour pressure	: 43 hPa
Vapour pressure at 50 °C	: > hPa
Relative vapour density at 20 °C	: No data available
Relative density	: 1.03
Relative density of saturated gas/air mixture	: No data available
Density	: 1.03 g/cm ³
Solubility	: Not relevant.
Log Pow	: No data available
Viscosity, kinematic	: > 14 mm ² /s
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive. Explosive vapour/air mixtures may be formed.
Oxidising properties	: No data available
Explosive limits	: Not relevant Not relevant Not relevant

9.2. Other information

VOC content	: < 1 % VOC - Swiss ordinance
Löslichkeit in Wasser	: Es tritt hydrolytische Zersetzung ein. Explosionsgrenzen für freigesetztes Methanol: 5,5 - 44% Vol.%. ph-Wert: Produkt reagiert neutral.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with : Water. acids. Strong bases. Die Reaktion erfolgt unter Bildung von Methanol.

10.4. Conditions to avoid

Moisture. heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

None.

10.6. Hazardous decomposition products

Bei Hydrolyse: Methanol. Messungen haben ergeben, dass bei Temperaturen ab ca.150°C durch oxidativen Abbau eine geringe Menge Formaldehyd abgespalten wird.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Additional information	: No data available

tetrabutyl titanate (5593-70-4)	
LD50 oral rat	3122 mg/kg (Rat, Literature study)
methanol (67-56-1)	
LD50 oral rat	1187 - 2769 mg/kg bodyweight (BASF test, Rat, Male / female, Weight of evidence, Aqueous solution, Oral, 7 day(s))
LD50 dermal rabbit	17100 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)
LC50 inhalation rat (mg/l)	128.2 mg/l air (BASF test, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours))

Skin corrosion/irritation	: Not classified pH: Not applicable
Additional information	: Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	: Causes serious eye irritation. pH: Not applicable
Respiratory or skin sensitisation	: Not classified
Additional information	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

PANDOMO IMPREGNATION

Safety Data Sheet

according to Regulation (EU) 2015/830

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

PANDOMO IMPREGNATION	
Viscosity, kinematic	> 14 mm ² /s

Other information : Methanol (CAS 67-56-1) wird über alle Expositionsrouuten gut und schnell resorbiert und ist unabhängig von der Art der Aufnahme giftig. Methanol kann zu Reizungen der Schleimhäute, Übelkeit, Erbrechen, Kopfschmerzen, Schwindelgefühl und Sehstörungen führen, sowie zu Erblindung (irreversible Schädigung des Sehnervs), Azidose, Muskelkrämpfe und Koma. Es kann nach Exposition zu Verzögerungen beim Auftreten dieser Effekte kommen. Weiere Informationen zur Toxikologie im Abschnitt 11 sind zu beachten.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

methanol (67-56-1)	
LC50 fish 1	15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	22000 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)

12.2. Persistence and degradability

PANDOMO IMPREGNATION	
Persistence and degradability	Reagiert mit Wasser unter Bildung von Methanol und Silanol- und/oder Siloxanol-Verbindungen. Siliconanteil: Biologisch nicht abbaubar. Elimination durch Adsorption an Belebtschlamm. Das Hydrolyseprodukt (Methanol) ist biologisch leicht abbaubar.

tetrabutyl titanate (5593-70-4)	
Persistence and degradability	Biodegradability in water: no data available.

methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O ₂ /g substance
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance
ThOD	1.5 g O ₂ /g substance

12.3. Bioaccumulative potential

PANDOMO IMPREGNATION	
Bioaccumulative potential	Bioaccumulation unlikely.

tetrabutyl titanate (5593-70-4)	
Bioaccumulative potential	No bioaccumulation data available.

methanol (67-56-1)	
BCF fish 1	1 - 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value)
Log Pow	-0.77 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

PANDOMO IMPREGNATION	
Mobility in soil	Siliconanteil: Wird von Schwebeteilchen adsorbiert. Abscheidung durch Sedimentation.

tetrabutyl titanate (5593-70-4)	
Ecology - soil	No (test)data on mobility of the substance available.

methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
Log Koc	0.088 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

12.5. Results of PBT and vPvB assessment

PANDOMO IMPREGNATION

Safety Data Sheet

according to Regulation (EU) 2015/830

Component	
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Avoid release to the environment. Empty remaining contents.
European List of Waste (LoW) code	: Für dieses Produkt kann keine Abfallschlüssel-Nummer gemäß europäischem Abfallkatalog (AVV) festgelegt werden, da erst der Verwendungszweck durch den Verbraucher eine Zuordnung erlaubt. Die Abfallschlüssel-Nummer ist innerhalb der EU in Absprache mit dem Entsorger festzulegen.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : < 1 % VOC - Swiss ordinance

PANDOMO IMPREGNATION

Safety Data Sheet

according to Regulation (EU) 2015/830

Other information, restriction and prohibition regulations : Verordnung zur arbeitsmedizinischen Vorsorge: Bei Tätigkeiten mit Methanol ist, sofern eine Exposition besteht, arbeitsmedizinische Vorsorge anzubieten (Angebotsvorsorge). Wird der AGW für Methanol nicht eingehalten oder besteht Hautkontakt, ist arbeitsmedizinische Vorsorge regelmäßig zu veranlassen (Pflichtvorsorge). Dazu können die folgenden DGUV-Grundsätze herangezogen werden: G 10 Methanol. Falls aufgrund der Gefährdungsbeurteilung das Tragen von Atemschutz notwendig ist, ist arbeitsmedizinische Vorsorge ggf. nach dem DGUV-Grundsatz G 26 Atemschutzgeräte durchzuführen. Falls aufgrund der Gefährdungsbeurteilung das Tragen von Chemikalienschutzhandschuhen über mehr als 2 Stunden am Tag notwendig ist (Feuchtarbeit), ist arbeitsmedizinische Vorsorge anzubieten (Angebotsvorsorge, z.B. anhand G 24). Bei Feuchtarbeit von regelmäßig 4 Stunden oder mehr pro Tag ist arbeitsmedizinische Vorsorge regelmäßig zu veranlassen (Pflichtvorsorge, z. B. unter Heranziehung des DGUVGrundsatzes G 24).

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs.
H371	May cause damage to organs.

ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.