Safety Data Sheet according to Regulation (EU) 2015/830 Date of issue: 4/24/2017 Revision date: 12/28/2017

Supersedes: 6/3/2017

Version: 1.1

1.1. Product identifier	
Product form	: Mixture
Name	: SEIRE WP PRIMER Comp A
Product code	: 8004942A
Product group	: Blend
1.2. Relevant identified uses of the	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Use of the substance/mixture	: Substrate Preparation
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the sa	sfatu data shaat
SEIRE PRODUCTS, S.L. Los Muchos 34-36 Polígono Ind. Albolleque E-19160 CHILOECHES, GUADALAJARA E-mail address of competent person respor	e Sector III nsible for the SDS : <u>oscar.velasco@seire.net</u>
1.4. Emergency telephone number	
Emergency number	: 902.12.44.11 (8:00 - 17:30)
SECTION 2: Hazards identification	on
2.1. Classification of the substance	or mixture
	315
Serious eye damage/eye irritation, H Category 1 Hazardous to the aquatic environment H – Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human health	318 412
Serious eye damage/eye irritation, H Category 1 Hazardous to the aquatic environment H — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2. Label elements	318 412 n and environmental effects damage. Harmful to aquatic life with long lasting effects.
Serious eye damage/eye irritation, H Category 1 Hazardous to the aquatic environment H — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2. Label elements Labelling according to Regulation (EC) N	318 412 n and environmental effects damage. Harmful to aquatic life with long lasting effects. No. 1272/2008 [CLP]
Serious eye damage/eye irritation, H Category 1 Hazardous to the aquatic environment H — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	318 412 n and environmental effects damage. Harmful to aquatic life with long lasting effects. No. 1272/2008 [CLP]
Serious eye damage/eye irritation, H Category 1 Hazardous to the aquatic environment H — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye o	 318 412 h and environmental effects damage. Harmful to aquatic life with long lasting effects. No. 1272/2008 [CLP] GHS05 GHS05 Danger Linseed oil, polymer w/ bis-A, bis-A diglycidyl ether, diethylenetriamine, formaldehyde, glycidyl
Serious eye damage/eye irritation, H Category 1 Hazardous to the aquatic environment H — Chronic Hazard, Category 3 Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	318 412 n and environmental effects damage. Harmful to aquatic life with long lasting effects. No. 1272/2008 [CLP]

Safety Data Sheet

according to Regulation (EU) 2015/830

EUH-statements

: EUH208 - Contains 3,6,9,12-tetra-azatetradecamethylenediamine; pentacthylenehexamine, Tetraethylenepentamine, diethylenetriamine. May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linseed oil, polymer w/ bis-A, bis-A diglycidyl ether, diethylenetriamine, formaldehyde, glycidyl Ph ether, pentaethylenehexamine	(CAS-No.) 68915-81-1	20 - 30	Skin Irrit. 2, H315 Eye Dam. 1, H318
3,6,9,12-tetra-azatetradecamethylenediamine; pentacthylenehexamine	(CAS-No.) 4067-16-7 (EC-No.) 223-775-9 (EC Index-No.) 612-064-00-2	< 0.6	Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
acetic acid substance with a Community workplace exposure limit	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	< 0.6	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Tetraethylenepentamine	(CAS-No.) 112-57-2 (EC-No.) 203-986-2 (EC Index-No.) 612-060-00-0	< 0.6	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 2, H411
diethylenetriamine	(CAS-No.) 111-40-0 (EC-No.) 203-865-4 (EC Index-No.) 612-058-00-X	< 0.6	Acute Tox. 2 (Inhalation), H330 Skin Sens. 1, H317 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335
Specific concentration limits:			

Name	Product identifier	Specific concentration limits
acetic acid	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	(10 = <c 2,="" 25)="" <="" h315<br="" irrit.="" skin="">(10 =<c 2,="" 25)="" <="" eye="" h319<br="" irrit.="">(25 =<c 1b,="" 90)="" <="" corr.="" h314<br="" skin="">(C >= 90) Skin Corr. 1A, H314</c></c></c>

Full text of H-statements: see section 16

SECT	ION 4: First aid measures		
4.1.	Description of first aid measures		
First-aid	d measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
First-aid	d measures after skin contact	:	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid	d measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid	d measures after ingestion	:	Call a poison center or a doctor if you feel unwell.
4.2.	Most important symptoms and effe	cts	, both acute and delayed
Sympto	oms/effects after skin contact	:	Irritation.
Sympto	oms/effects after eye contact	:	Serious damage to eyes.
4.3.	Indication of any immediate medica	al a	ttention and special treatment needed
Treat s	ymptomatically.		
SECT	ION 5: Firefighting measures		
5.1.	Extinguishing media		
Suitable	e extinguishing media	:	Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Special hazards arising from the su	ıbs	tance or mixture
Hazard fire	ous decomposition products in case of	:	Toxic fumes may be released.
5.3.	Advice for firefighters		
Protect	ion during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
9/21/201	18		GB - en 2/7

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency	personnel		
Emergency procedures			
6.1.2. For emergency resp			
Protective equipment		action without suitable protective equipment. For further information osure controls/personal protection".	
6.2. Environmental preca	autions		
Avoid release to the environmer	nt.		
6.3. Methods and materia	al for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into	absorbent material.	
Other information	: Dispose of materials o	r solid residues at an authorized site.	
6.4. Reference to other s	ections		
For further information refer to s	section 13.		
SECTION 7: Handling a	nd storage		
7.1. Precautions for safe	handling		
Precautions for safe handling : Ensure good ventilation of the work station. Avoid or protective equipment.		n of the work station. Avoid contact with skin and eyes. Wear personal	
Hygiene measures			
7.2. Conditions for safe s	storage, including any incompatibilities		
Storage conditions	: Store in a well-ventilat	ed place. Keep cool.	
7.3. Specific end use(s)			
No additional information availa	ble		
SECTION 8: Exposure c	controls/personal protection		
8.1. Control parameters			
acetic acid (64-19-7)			
EU	IOELV TWA (mg/m ³)	25 mg/m ³	
EU	IOELV TWA (ppm)	10 ppm	
EU	IOELV STEL (mg/m ³)	50 mg/m ³	
EU	IOELV STEL (ppm)	20 ppm	
diethylenetriamine (111-40-0)		
United Kingdom	WEL TWA (mg/m³)	4.3 mg/m ³	
United Kingdom	WEL TWA (ppm)	1 ppm	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves. Type: Disposable gloves Material: Nitrile rubber Permeation: 6 (> 480 minutes) Thickness: > 0.4 mm Standard: EN 374

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



Safety Data Sheet

according to Regulation (EU) 2015/830

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : amber. Odour : No data available : No data available Odour threshold : 9.25 pН Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available : No data available Boiling point : > 100 °C ASTM D93 Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density : 1 - 1.4 g/cm³ Solubility : No data available : No data available Log Pow Viscosity, kinematic : No data available : 3800 - 4600 cP Viscosity, dynamic : No data available Explosive properties Oxidising properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive limits

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	Not classified	
acetic acid (64-19-7)		
LD50 oral rat	3310 mg/kg bodyweight (Rat, Male/female, Experimental value)	
LC50 inhalation rat (mg/l)	11.4 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value)	
Tetraethylenepentamine (112-57-2)		
LD50 oral rat	3990 mg/kg (Rat; Literature study; 3250 mg/kg bodyweight; Rat; Literature study)	
LD50 dermal rabbit	660 mg/kg (Rabbit; Literature study; 660-1260 mg/kg bodyweight; Rabbit; Literature study)	

Safety Data Sheet

according to Regulation (EU) 2015/830

diethylenetriamine (111-40-0)		
LD50 oral rat	1553 mg/kg bodyweight (Rat, Male, Experimental value)	
LD50 dermal rabbit	1045 mg/kg bodyweight (Rabbit, Experimental value)	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 9.25	
Serious eye damage/irritation	: Causes serious eye damage.	
	рН: 9.25	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

SECTION 12: Ecological info	rmation
12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.
acetic acid (64-19-7)	
LC50 fish 1	> 1000 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 72h algae (1)	> 1000 mg/l (ISO 10253, Skeletonema costatum, Static system, Salt water, Experimental value)
Tetraethylenepentamine (112-57-2)	
LC50 fish 2	420 mg/l (LC50; EU Method C.1; 96 h; Poecilia reticulata; Semi-static system; Fresh water; Experimental value)
EC50 Daphnia 1	24.1 mg/l (EC50; EU Method C.2; 48 h; Daphnia magna; Static system)
Threshold limit algae 1	0.5 mg/l (NOEC; OECD 201: Alga, Growth Inhibition Test; 72 h; Selenastrum capricornutum)
Threshold limit algae 2	6.8 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Selenastrum capricornutum)
diethylenetriamine (111-40-0)	
LC50 fish 1	430 mg/l (EU Method C.1, 96 h, Poecilia reticulata, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	64.6 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)

12.2. Persistence and degradability

ErC50 (algae)

acetic acid (64-19-7)		
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	$0.6 - 0.74 \text{ g O}_2/\text{g substance}$	
Chemical oxygen demand (COD)	1.03 g O ₂ /g substance	
ThOD	1.07 g O ₂ /g substance	
Tetraethylenepentamine (112-57-2)		
Persistence and degradability	Not readily biodegradable in water. Low potential for mobility in soil. Adsorbs into the soil.	
diethylenetriamine (111-40-0)		
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.	
12.3. Bioaccumulative potential		

system, Fresh water, Experimental value)

1164 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Selenastrum capricornutum, Static

 acetic acid (64-19-7)

 BCF fish 1
 3.16 (Pisces, Fresh water, QSAR)

 Log Pow
 -0.17 (Experimental value, 25 °C)

 Bioaccumulative potential
 Not bioaccumulative.

 Tetraethylenepentamine (112-57-2)

 BCF other aquatic organisms 1
 4.2 (BCF)

 Log Pow
 -3.16 (Calculated; EPIWIN)

 Bioaccumulative potential
 Low potential for bioaccumulation (BCF < 500).</td>

Safety Data Sheet

according to Regulation (EU) 2015/830

diethylenetriamine (111-40-0)	
BCF fish 1	0.3 - 6.3 (OECD 305: Bioconcentration: Flow-Through Fish Test, 8 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, Fresh weight)
Log Pow	-1.58 (Calculated, 20 °C)
Bioaccumulative potential Not bioaccumulative.	
2.4. Mobility in soil	
acetic acid (64-19-7)	
Surface tension	26.3 mN/m (30 °C)
Ecology - soil	Highly mobile in soil. May be harmful to plant growth, blooming and fruit formation.
diethylenetriamine (111-40-0)	
Log Koc	3.4 - 4.6 (log Koc, Other, Experimental value, GLP)
Ecology - soil Adsorbs into the soil. Low potential for mobility in soil. Soil contaminant.	
2.5. Results of PBT and vPvB ass	essment
Component	
acetic acid (64-19-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
diethylenetriamine (111-40-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2.6. Other adverse effects	
lo additional information available	

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number	•			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper	shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	nazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	oup			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea Not applicable

- Air transport Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Corr. 1A	Skin corrosion/irritation, Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH208	Contains 3,6,9,12-tetra-azatetradecamethylenediamine; pentacthylenehexamine, Tetraethylenepentamine, diethylenetriamine. May produce an allergic reaction.	

ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product