Safety Data Sheet according to Regulation (EU) 2015/830 Issue date: 3/21/2017 Revision date: 8/5/2020



Version: 2.1

	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: PANDOMO BG
Product code	: 4648
1.2. Relevant identified uses of the	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Construction materials
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: PANDOMO
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the sa	afety data sheet
Supplier ARDEX Baustoff GmbH Hürmer Str. 40 A-3382 Loosdorf - Österreich T +43/2754/7021-0 - F +43/2754/2490 E-mail address of competent person respor	nsible for the SDS : produktion@ardex.at
1.4. Emergency telephone number	
Emergency number	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich)
SECTION 2: Hazards identification	on
2.1. Classification of the substance	e or mixture
Serious eye damage/eye irritation, H	315 318
Serious eye damage/eye irritation, H Category 1 Specific target organ toxicity — Single H exposure, Category 3, Respiratory tract rritation Full text of H statements : see section 16 Adverse physicochemical, human health	318 335 n and environmental effects
Serious eye damage/eye irritation, H Category 1 Specific target organ toxicity — Single H exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye o	318 335 n and environmental effects
Serious eye damage/eye irritation, Category 1 H. Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H. Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2.	318 335 n and environmental effects damage.
Serious eye damage/eye irritation, H. Category 1 Specific target organ toxicity — Single H. exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2. Label elements Labelling according to Regulation (EC) N	318 335 n and environmental effects damage.
Serious eye damage/eye irritation, H: Category 1 Specific target organ toxicity — Single H: exposure, Category 3, Respiratory tract rritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	318 335 h and environmental effects damage. No. 1272/2008 [CLP]
Serious eye damage/eye irritation, H: Category 1 Specific target organ toxicity — Single H: exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	318 335 n and environmental effects damage. No. 1272/2008 [CLP] i i i i i i i i
Serious eye damage/eye irritation, H: Category 1 Specific target organ toxicity — Single H: exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye of 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	318 335 n and environmental effects damage. No. 1272/2008 [CLP]
Serious eye damage/eye irritation, H Category 1 Specific target organ toxicity — Single H exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye o	 318 335 n and environmental effects damage. No. 1272/2008 [CLP] I Output GHS05 GHS07 E Danger Portland cement H315 - Causes skin irritation. H318 - Causes serious eye damage.

Safety Data Sheet

according to Regulation (EU) 2015/830

regulations.

2.3. Other hazards	
Other hazards not contributing to the classification	 The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%. With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).
PBT: not relevant – no registration require	d

egi qı vPvB: not relevant - no registration required

SECTION 3: Composition/information on ingredients

Substances 3.1.

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	(EC-No.) 266-043-4	> 20	Skin Sens. 1, H317 Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3, H335
calcium sulfate	(CAS-No.) 7778-18-9 (EC-No.) 231-900-3 (REACH-no) 01-2119444918-26	> 10	Not classified

Comments

Full text of H-statements: see section 16

SECTION 4. First aid massures	
SECTION 4: First aid measures 4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do not induce vomiting.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Non flammable.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: No fire hazard.
Explosion hazard	: None.
Hazardous decomposition products in case of fire	: None.
5.3. Advice for firefighters	
Precautionary measures fire	: No specific measures are necessary.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	uipment and emergency procedures
General measures	: Absorb spillage to prevent material damage.

Safety Data Sheet

according to Regulation (EU) 2015/830

accontaining		
6.1.1.	For non-emergency personnel	
Protecti	ve equipment	: Precautions for safe handling. See Heading 7.
Emerge	ncy procedures	: Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
	ncy procedures	: No specific measures are necessary.
6.2.	Environmental precautions	
-	entry to sewers and public waters.	
6.3.	Methods and material for containm	ent and cleaning up
For con	tainment	: Collect spillage.
Method	s for cleaning up	: Mechanically recover the product. Minimise generation of dust. Collect spillage. Do not use compressed air for cleaning.
6.4.	Reference to other sections	
For furt	ner information refer to section 13. See	Heading 8.
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Addition	al hazards when processed	: See Heading 8.
Precaut	ions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene	e measures	: Wear protective gloves. Do not eat, drink or smoke when using this product.
7.2.	Conditions for safe storage, includ	ing any incompatibilities
Storage	conditions	 Protect from moisture. Store in a dry place. The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%. With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).
Incomp	atible materials	: Aluminium.
Storage	area	: dry.
7.3.	Specific end use(s)	
No addi	tional information available	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Portland cement		
Austria	Local name	Portlandzement (Staub)
Austria	MAK (mg/m³)	5 mg/m³ (E)
calcium sulfate (7778-18-9)		
Austria	Local name	Calciumsulfat
Austria	MAK (mg/m³)	5 mg/m³ (A)
Austria	MAK Short time value (mg/m³)	10 mg/m³ (A, 2x 60(Miw) min)

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Safety glasses. Dust formation: dust mask. Gloves.

Hand protection:

Protective gloves. The following materials are suitable for protective gloves: Nitrile impregnated cotton gloves (layer thickness of about 0,15 mm).

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

If the occupational exposure limit is exceeded:

Safety Data Sheet

according to Regulation (EU) 2015/830



Environmental exposure controls:

Avoid release to the environment.

Other information:

Use care during processing to minimize generation of dust. Avoid creating or spreading dust.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and o	
Physical state	: Solid
Appearance	: Powder.
Colour	: Grey.
Odour	: odourless.
Odour threshold	: No data available
pH	: 11.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: > 1250 °C
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 2.75 – 3.2 g/cm ³
Solubility	: Water: 0.1 – 1.5 g/l @ 20°C
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosive properties	: None.
Oxidising properties	: None.
Explosive limits	: Not applicable
9.2. Other information	
VOC content	: <3%
Bulk density	: 900 – 1300 kg/m³
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reacts with water.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal co	inditions of use.
10.4. Conditions to avoid	
None under recommended storage and handling	g conditions (see section 7).
10.5. Incompatible materials	
Acids. ammonium salts. Aluminium.	
10.6. Hazardous decomposition products	\$
No hazardous decomposition products known	

No hazardous decomposition products known.

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 11: Toxicological informa 11.1. Information on toxicological effects	
Acute toxicity	: Not classified
calcium sulfate (7778-18-9) LD50 oral rat	> 1584 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat,
	Female, Experimental value, Oral)
LC50 inhalation rat (mg/l)	> 2.61 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))
Skin corrosion/irritation	: Causes skin irritation. pH: 11.5
Serious eye damage/irritation	: Causes serious eye damage.
Schous eye damage/imation	pH: 11.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
	: Not classified
Carcinogenicity	. Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.
SECTION 12: Ecological information	n
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Portland cement	
LC50 fish 1	> 1000 mg/l (96 h, Pisces)
calcium sulfate (7778-18-9)	
LC50 fish 1	2980 mg/l (96 h, Lepomis macrochirus)
12.2. Persistence and degradability	
12.2. Persistence and degradability PANDOMO BG	
Persistence and degradability	Not applicable. Inorganic Particulate Substances.
BOD (% of ThOD)	Not applicable
Portland cement	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
calcium sulfate (7778-18-9)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
12.3. Bioaccumulative potential	
PANDOMO BG	
Bioaccumulative potential	No bioaccumulation.
Portland cement	
Bioaccumulative potential	Bioaccumulation: not applicable.
· ·	· ···
calcium sulfate (7778-18-9)	
calcium sulfate (7778-18-9) Bioaccumulative potential	No bioaccumulation data available.
Bioaccumulative potential	No bioaccumulation data available.
Bioaccumulative potential 12.4. Mobility in soil	No bioaccumulation data available.
Bioaccumulative potential 12.4. Mobility in soil PANDOMO BG	No bioaccumulation data available.
Bioaccumulative potential 12.4. Mobility in soil	

No (test)data on mobility of the substance available.

Safety Data Sheet

according to Regulation (EU) 2015/830

PANDOMO BG	
PBT: not relevant - no registration r	equired
vPvB: not relevant - no registration	required
Component	
Portland cement ()	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	 17 01 01 - concrete 10 13 14 - waste concrete and concrete sludge For residues 01 04 07* - wastes containing dangerous substances from physical and chemical processing o non-metalliferous minerals

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG		
ADR	IMDG	ΙΑΤΑ
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
	No supplementary information available	

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content

: <3%

Safety Data Sheet

according to Regulation (EU) 2015/830

ts are used, then without prejudice to the application of other Community lassification, packaging and labelling of substances and mixtures, suppliers the placing on the market that the packaging of cement or cement- is visibly, legibly and indelibly marked with information on the packing date, orage conditions and the storage period appropriate to maintaining the sing agent and to keeping the content of soluble chromium VI below the limit aph 1.
ed closed and totally automated processes in which cement and cement- s are handled solely by machines and in which there is no possibility of n.
opted by the European Committee for Standardization (CEN) for testing the nium (VI) content of cement and cement-containing mixtures shall be used for demonstrating conformity with paragraph 1.
coming into contact with the skin shall not be placed on the market where ium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by dry weight of the leather.
ng leather parts coming into contact with the skin shall not be placed on the of those leather parts contains chromium VI in concentrations equal to or kg (0,0003 % by weight) of the total dry weight of that leather part.
d 6 shall not apply to the placing on the market of second-hand articles
•

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.