Safety	Data	Sheet	
Ourcey	Data	Oneet	

according to Regulation (EU) 2015/830 Date of issue: 1/23/2017 Revision date: 10/17/2019



Version: 1.1

1.1.	Product identifier	
Product	form	: Mixture
Product	name	: Pandomo K 3
Product	code	: 4705
1.2.	Relevant identified uses of th	e substance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Main us	e category	: Construction materials
Industria	ll/Professional use spec	: For professional use only
Jse of th	ne substance/mixture	: PANDOMO
		Floor Levelling Compounds
1.2.2.	Uses advised against	
No addit	ional information available	
1.3.	Details of the supplier of the	safety data sheet
Manufa		
	Baustoff GmbH	
Hürmer	Str. 40	
	Loosdorf - Österreich 754/7021-0 - F +43/2754/2490	
		onsible for the SDS : produktion@ardex.at
1.4.	Emergency telephone numbe	
Emerger SECTI 2.1. Classifi	ON 2: Hazards identificat Classification of the substanc cation according to Regulation	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP]
Emerger SECTI 2.1. Classifi Serious Categor	ON 2: Hazards identificat Classification of the substant cation according to Regulation eye damage/eye irritation,	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture
Emerger SECTI 2.1. Classifi Serious Categor	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP]
Emergel SECTI 2.1. Classifi Serious Categor Full text	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 Ith and environmental effects
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes	ON 2: Hazards identificat Classification of the substant cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heal skin irritation. Causes serious eye	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 Ith and environmental effects
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2.	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC)	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC)	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC)	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC)	<pre>: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage. No. 1272/2008 [CLP]</pre>
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard	ON 2: Hazards identificat Classification of the substant cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC) pictograms (CLP)	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard (ON 2: Hazards identificat Classification of the substant cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC) bictograms (CLP)	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 Hth and environmental effects e damage. No. 1272/2008 [CLP] : : : : : : : : : : : : :
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard (Signal w Hazardo	ON 2: Hazards identificat Classification of the substant cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heal skin irritation. Causes serious eye Label elements g according to Regulation (EC) bictograms (CLP)	: +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion te or mixture (EC) No. 1272/2008 [CLP] H319 Hth and environmental effects e damage. No. 1272/2008 [CLP] : : : : : : : : : : : : :
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard (Signal w Hazardo	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC) bictograms (CLP)	 : +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion te or mixture (EC) No. 1272/2008 [CLP] H319 Hand environmental effects e damage. No. 1272/2008 [CLP] i Varing : Fortland cement : H319 - Causes serious eye irritation.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard (Signal w Hazardo	ON 2: Hazards identificat Classification of the substant cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heal skin irritation. Causes serious eye Label elements g according to Regulation (EC) bictograms (CLP)	 : +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion te or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage. th and environmental effects e damage. th one content of the second seco
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard (Signal w Hazardo	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC) bictograms (CLP)	 : +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ze or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage. No. 1272/2008 [CLP] i Varing i Fortland cement i H319 - Causes serious eye irritation. i P280 - Wear eye protection, protective gloves. p281 - Avoid breathing dust. p102 - Keep out of reach of children.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard (Signal w Hazardo	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC) bictograms (CLP)	 : +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage. No. 1272/2008 [CLP] Guspan Guspan Fortland cement H319 - Causes serious eye irritation. P280 - Wear eye protection, protective gloves. P261 - Avoid breathing dust. P102 - Keep out of reach of children. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard (Signal w Hazardo	ON 2: Hazards identificat Classification of the substance cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 e physicochemical, human heat skin irritation. Causes serious eye Label elements g according to Regulation (EC) bictograms (CLP)	 : +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ze or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage. No. 1272/2008 [CLP] i Varing i Fortland cement i H319 - Causes serious eye irritation. i P280 - Wear eye protection, protective gloves. p281 - Avoid breathing dust. p102 - Keep out of reach of children.
Emerger SECTI 2.1. Classifi Serious Categor Full text Adverse Causes 2.2. Labellin Hazard (Signal w Hazardo	ON 2: Hazards identificat Classification of the substant cation according to Regulation eye damage/eye irritation, y 2 of H statements : see section 16 a physicochemical, human heal skin irritation. Causes serious eye Label elements ig according to Regulation (EC) bictograms (CLP) vord (CLP) us ingredients statements (CLP) onary statements (CLP)	 : +43-(0)1-4064343 (Vergiftungsinformationszentrale Österreich) tion ce or mixture (EC) No. 1272/2008 [CLP] H319 th and environmental effects e damage. No. 1272/2008 [CLP] Gusor Gusor Warning Portland cement H319 - Causes serious eye irritation. P280 - Wear eye protection, protective gloves. P261 - Avoid breathing dust. P102 - Keep out of reach of children. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the classification

: The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%.

With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).

PBT: not relevant – no registration required vPvB: not relevant – no registration required

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
chalk	(CAS-No.) 1317-65-3 (EC-No.) 215-279-6	< 30	Not classified
Cement Alumina	(CAS-No.) 65997-16-2 (EC-No.) 266-045-5	< 30	Not classified
calcium sulfate	(CAS-No.) 7778-18-9 (EC-No.) 231-900-3	< 30	Not classified
Portland cement	(CAS-No.) 65997-15-1 (EC-No.) 266-043-4	1 - 3	Skin Sens. 1, H317 Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3, H335

Comments

: Chromium (VI) compounds < 2 ppm

Full text of H-statements: see section 16

OFOTION 4. First sid mass	
SECTION 4: First aid measures 4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	 Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do not induce vomiting.
4.2. Most important symptoms and effective	cts, both acute and delayed
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Non flammable.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: No fire hazard.
Explosion hazard	: None.
Hazardous decomposition products in case of fire	: None.
5.3. Advice for firefighters	
Precautionary measures fire	: No specific measures are necessary.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ec	uipment and emergency procedures
General measures	: Absorb spillage to prevent material damage.

Safety Data Sheet

according to Regulation (EU) 2015/830

	0 1(cgulation (E0) 2010/000		
6.1.1.	For non-emergency personnel		
Protectiv	ve equipment	:	Precautions for safe handling. See Heading 7.
Emerge	ncy procedures	:	Avoid contact with skin and eyes.
6.1.2.	For emergency responders		
Emerge	ncy procedures	:	No specific measures are necessary.
6.2.	Environmental precautions		
Prevent	entry to sewers and public waters.		
6.3.	Methods and material for containm	ent	and cleaning up
For cont	ainment	:	Collect spillage.
Methods	s for cleaning up	:	Mechanically recover the product. Minimise generation of dust. Collect spillage. Do not use compressed air for cleaning.
6.4.	Reference to other sections		
For furth	ner information refer to section 13. See H	lea	ading 8.
SECT	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Addition	al hazards when processed	:	See Heading 8.
Precaut	ons for safe handling	:	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene	measures	:	Wear protective gloves. Do not eat, drink or smoke when using this product.
7.2.	Conditions for safe storage, includi	ing	any incompatibilities
Storage	conditions		 Protect from moisture. Store in a dry place. The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%. With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).
Incompa	atible materials	:	Aluminium.
Storage	area	:	dry.
7.3.	Specific end use(s)		
No addi	tional information available		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

calcium sulfate (7778-18-9)				
Austria	Local name	Calciumsulfat		
Austria	MAK (mg/m³)	5 mg/m³		
Austria	MAK Short time value (mg/m³)	10 mg/m ³		
Portland cement (65997-15-1)			
Austria	Local name	Portlandzement (Staub)		
Austria	MAK (mg/m³)	5 mg/m³		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

In case of splash hazard: safety glasses. Dust formation: dust mask. Gloves.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

If the occupational exposure limit is exceeded:

Pandomo K 3 Safety Data Sheet

according to Regulation (EU) 2015/830



Environmental exposure controls:

Avoid release to the environment.

Other information:

Use care during processing to minimize generation of dust. Avoid creating or spreading dust.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Powder.	
Colour	: Grey. white.	
Odour	: odourless.	
Odour threshold	: No data available	
рН	: 11.5	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: > 1250 °C	
Freezing point	: Not applicable	
Boiling point	: Not applicable	
Flash point	: Not applicable	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: Not applicable	
Density	: 2.75 - 3.2 g/cm ³	
Solubility	: Water: 0.1 - 1.5 g/l @ 20°C	
Log Pow	: No data available	
Viscosity, kinematic	: Not applicable	
Viscosity, dynamic	: Not applicable	
Explosive properties	: None.	
Oxidising properties	: None.	
Explosive limits	: Not applicable	
9.2. Other information		
VOC content	: < 3 %	
Bulk density	: 900 - 1300 kg/m³	
SECTION 10: Stability and reactivity	/	
10.1. Reactivity		
Reacts with water.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid		
None under recommended storage and handlin	g conditions (see section 7).	
10.5. Incompatible materials		
Acids. ammonium salts. Aluminium.		

10.6. Hazardous decomposition products

No hazardous decomposition products known.

Safety Data Sheet

according to Regulation (EU) 2015/830

1.1. Information on toxicological effect		
Acute toxicity	: Not classified	
calcium sulfate (7778-18-9)		
LD50 oral rat	> 1584 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)	
LC50 inhalation rat (mg/l)	> 2.61 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))	
chalk (1317-65-3)		
LD50 oral rat	6450 mg/kg (Rat, Literature study, Oral)	
Skin corrosion/irritation	: Not classified	
	pH: 11.5	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 11.5	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.	
SECTION 12: Ecological informatio	n	
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
calcium sulfate (7778-18-9)		
LC50 fish 1	2980 mg/l (96 h, Lepomis macrochirus)	
chalk (1317-65-3)		
LC50 fish 1	> 10000 mg/l (96 h, Oncorhynchus mykiss, Literature)	
EC50 Daphnia 1	> 1000 mg/l (48 h, Daphnia magna, Literature)	
EC50 72h algae (1)	> 200 mg/l (Desmodesmus subspicatus, Literature)	
Portland cement (65997-15-1)		
LC50 fish 1	> 1000 mg/l (96 h, Pisces)	

Pandomo K 3		
Persistence and degradability	Not applicable. Inorganic Particulate Substances.	
BOD (% of ThOD)	Not applicable	
calcium sulfate (7778-18-9)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
chalk (1317-65-3)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Portland cement (65997-15-1)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

Safety Data Sheet

according to Regulation (EU) 2015/830

12.3. Bioaccumulative potential		
Pandomo K 3		
Bioaccumulative potential	No bioaccumulation.	
calcium sulfate (7778-18-9)		
Bioaccumulative potential	No bioaccumulation data available.	
chalk (1317-65-3)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
Portland cement (65997-15-1)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
12.4. Mobility in soil		
Pandomo K 3		
Ecology - soil	None.	
chalk (1317-65-3)		
Ecology - soil	No (test)data on mobility of the substance available.	
Portland cement (65997-15-1)		
Ecology - soil	No (test)data on mobility of the substance available.	
12.5. Results of PBT and vPvB assessment		
Pandomo K 3		
PBT: not relevant – no registration required		
vPvB: not relevant – no registration required		
Component		
chalk (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Portland cement (65997-15-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Disposal must be done according to official regulations.	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.	
Ecology - waste materials	: Avoid release to the environment.	
European List of Waste (LoW) code	: 17 01 01 - concrete 10 13 14 - waste concrete and concrete sludge	

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

ADR	IMDG	ΙΑΤΑ		
14.1. UN number				
Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable		
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable		
14.4. Packing group				
Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable		
No supplementary information available				

14.6. Special precautions for user

- Overland transport
- Not applicable

Safety Data Sheet

according to Regulation (EU) 2015/830

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition

VOC content

regulations

: < 3 %

: 1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.

2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

4. The standard adopted by the European Committee for Standardization (CEN) for testing the water-soluble chromium (VI) content of cement and cement-containing mixtures shall be used as the test method for demonstrating conformity with paragraph 1.

5. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather.

6. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of that leather part.

7. Paragraphs 5 and 6 shall not apply to the placing on the market of second-hand articles which were in end-use in the Union before 1 May 2015.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements: Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage H319 Causes serious eye irritation. H335 May cause respiratory irritation.

according to Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.