

# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014



Issue date: 1/27/2020

Revision date: 3/31/2022

Supersedes: 1/27/2020

Version: 2.0

www.ardex.com.tr

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : ARDEX X 3 T White  
Product code : 40035

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Main use category : Professional use  
Use of the substance/mixture : Tiling

Function or use category : Construction materials

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

ARDEX Yapı Malzemeleri Limited Sirketi  
İstanbul Deri Organize Sanayi Bölgesi  
Desen Sok. No:14/A C1 Özel Parsel  
Tuzla/İstanbul Türkiye  
T +90 (216) 394 01 14 - F + 90 (216) 394 03 77  
[info@ardex.com.tr](mailto:info@ardex.com.tr) - [www.ardex.com.tr](http://www.ardex.com.tr)

### 1.4. Emergency telephone number

Emergency number : 114

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.

Skin corrosion/irritation, Category 2 H315

Serious eye damage/eye irritation, Category 1 H318

Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H335

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects : Causes skin irritation. Causes serious eye damage.

### 2.2. Label elements

Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.

Hazard pictograms (SEA) :



GHS05

GHS07

Signal word (SEA) : Danger

Hazardous ingredients : Portland cement



# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

Hazard statements (SEA)	: H315 - Causes skin irritation. H318 - Causes serious eye damage. H335 - May cause respiratory irritation.
Precautionary statements (SEA)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P302+P352 - IF ON SKIN: Wash with plenty of water/... P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P102 - Keep out of reach of children.

### 2.3. Other hazards

#### Other hazards not contributing to the classification

Other hazards which do not result in classification : The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%.  
With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.
Portland cement	CAS-No.: 65997-15-1 EC-No.: 266-043-4	> 20	Skin Sens. 1, H317 Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3, H335
calcium hydroxide substance with national workplace exposure limit(s) (TR)	CAS-No.: 1305-62-0 EC-No.: 215-137-3 REACH-no: 01-2119475151-45	5 - 10	Not determined

Comments : Chromium (VI) compounds < 2 ppm

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do not induce vomiting.



# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.  
Symptoms/effects after eye contact : Serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.  
Unsuitable extinguishing media : high volume water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.  
Explosion hazard : None.  
Hazardous decomposition products in case of fire : None.

### 5.3. Advice for firefighters

Precautionary measures fire : No specific measures are necessary.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage.

#### 6.1.1. For non-emergency personnel

Protective equipment : Precautions for safe handling. See Section 7.  
Emergency procedures : Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Emergency procedures : No specific measures are necessary.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Mechanically recover the product. Minimise generation of dust. Collect spillage. Do not use compressed air for cleaning.

### 6.4. Reference to other sections

For further information refer to section 13. See Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : See Section 8.  
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.



# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

Hygiene measures : Wear protective gloves. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from moisture. Store in a dry place. The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%.  
With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).

Incompatible materials : Aluminium. Acids. ammonium salts.

Storage area : dry.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### calcium hydroxide (1305-62-0)

#### Turkey - Occupational Exposure Limits

Local name	Kalsiyumdihidroksit
OEL TWA	5 mg/m <sup>3</sup>
Comments	(9) Sağlığa etkileri konusunda, sınırlı bilimsel veri bulunan maddeler
Regulatory reference	12 Ağustos 2013 Tarihli ve 28733 Sayılı Resmî Gazete

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Safety glasses. Dust formation: dust mask. Gloves.

Hand protection : Protective gloves. The following materials are suitable for protective gloves:  
Nitrile impregnated cotton gloves (layer thickness of about 0,15 mm).

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
			0,15		

Eye protection : Wear closed safety glasses

Skin and body protection : Wear proper protective equipment

Respiratory protection : If the occupational exposure limit is exceeded:

Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

Other information : Use care during processing to minimize generation of dust. Avoid creating or spreading dust.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Powder.

Colour : Mixture contains one or more component(s) which have the following colour(s):  
White to grey Colourless to white white White to light yellow Grey Beige whitish Unpurified:  
grey



# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

Odour	: odourless
Odour threshold	: No data available
pH	: 11.5 Aqueous solution
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: > 1250 °C
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: Not applicable
Density	: 2.75 – 3.2 g/cm <sup>3</sup>
Solubility	: Water: 0.1 – 1.5 g/l @ 20°C
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosive properties	: None.
Oxidising properties	: None.
Explosive limits	: Not applicable

### 9.2. Other information

VOC content	: < 3 %
Bulk density	: 900 – 1300 kg/m <sup>3</sup>

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with water.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Acids. ammonium salts. Aluminium.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified



# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

### calcium hydroxide (1305-62-0)

LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2500 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 6.04 mg/l (OECD 436: Acute inhalation toxicity-acute toxic class method, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 15 day(s))

Skin corrosion/irritation	: Causes skin irritation. pH: 11.5 Aqueous solution
Serious eye damage/irritation	: Causes serious eye damage. pH: 11.5 Aqueous solution
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.

### Portland cement (65997-15-1)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### ARDEX X 3 T White

Viscosity, kinematic	Not applicable
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### Portland cement (65997-15-1)

LC50 - Fish [1]	> 1000 mg/l (96 h, Pisces)
-----------------	----------------------------

### calcium hydroxide (1305-62-0)

LC50 - Fish [1]	50.6 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	49.1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Estimated value)
ErC50 algae	184.57 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

### 12.2. Persistence and degradability

### ARDEX X 3 T White

Persistence and degradability	Not applicable. Inorganic Particulate Substances.
BOD (% of ThOD)	Not applicable



# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

### Portland cement (65997-15-1)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
BOD (% of ThOD)	Not applicable

### calcium hydroxide (1305-62-0)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

### 12.3. Bioaccumulative potential

#### ARDEX X 3 T White

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

#### Portland cement (65997-15-1)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

#### calcium hydroxide (1305-62-0)

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

### 12.4. Mobility in soil

#### ARDEX X 3 T White

Mobility in soil	No additional information available
Ecology - soil	None.

#### Portland cement (65997-15-1)

Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.

#### calcium hydroxide (1305-62-0)

Surface tension	72 mN/m (20 °C, 0.1 %, OECD 115: Surface Tension of Aqueous Solutions)
Ecology - soil	Adsorbs into the soil.

### 12.5. Results of PBT and vPvB assessment

PBT : PBT: not relevant – no registration required  
vPvB : vPvB: not relevant – no registration required

#### Component

Portland cement (65997-15-1)	This substance/mixture does not meet the PBT criteria according to the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014 This substance/mixture does not meet the vPvB criteria according to the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014
calcium hydroxide (1305-62-0)	This substance/mixture does not meet the PBT criteria according to the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014 This substance/mixture does not meet the vPvB criteria according to the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014



# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

### 12.6. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.  
Ecology - waste materials : Avoid release to the environment.  
European List of Waste (LoW) code : 17 01 01 - concrete  
10 13 14 - waste concrete and concrete sludge  
For residues  
01 04 07\* - wastes containing dangerous substances from physical and chemical processing of non-metalliferous minerals

## SECTION 14: Transport information

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

**ADN**  
Transport hazard class(es) (ADN) : Not applicable

**RID**  
Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable





# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

**Overland transport**  
No data available

**Transport by sea**  
No data available

**Air transport**  
No data available

**Inland waterway transport**  
Transport regulations (ADN) : Not subject

**Rail transport**  
No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. National regulations

This product doesn't contain any substances that is controlled or prohibited for use according to the Regulation on Ozone Depleting Substances published in the Official Journal numbered 30031 on April 7, 2017.

VOC content : < 3 %

## SECTION 16: Other information

### Full text of H- and EUH-statements

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

### Safety Data Sheet author's

Name	Gökhan Ardiç
Certificate number	Lonca KDU 34 / 2020.08



# ARDEX X 3 T White

## Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014  
Issue date: 1/27/2020 Revision date: 3/31/2022 Supersedes: 1/27/2020 Version: 2.0

### Safety Data Sheet author's

Certificate valid until	22/09/2025
Contact information	sds@chemleg.com   +90 216 706 1307

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.