	fety Data She		7/2226 (25461)	(EN / D
acc	ording to Regulat	tion (EC) No. 190	7/2006 (REACH)	
Revis	ade name : sion date : date :	Lithofin KF 30.01.2019 06.02.2019	Conditioning Cleaner Version (Revision) :	4.0.2 (4.0.1)
SEC	TION 1: Identific	ation of the subs	tance/mixture and of the company/ un	dertaking
.1	Product identifie			
.2	Relevant identi	ied uses of the su fied uses	ubstance or mixture and uses advised ag	gainst
2	5	d cleaning products, alka	^{aline} r /only representative/downstream user	/dictributor
L.3	Contact :	acturer / importer	r/only representative/downstream user	/ distributor)
	Supplier :		Lithofin AG	
	Street :		Heinrich-Otto-Str. 36	
	Postal code/city :		73240 Wendlingen	
	Telephone :		+49 (0)7024 9403-0	
	Telefax :		+49 (0)7024 9403-40	
	Contact :		Technical Department E-mail: info@lithofin.de	
			Emergency telephone number: +49 (0)7024 9403-0 (Only available during office hours)	
L.4	Emergency telep	ohone number	+49 (0)7024 9403-0	
	see section 1.3		+49 (0)7024 9403-0	
SEC	see section 1.3	identification	+49 (0)7024 9403-0 (Only available during office hours)	
SEC	see section 1.3 TION 2: Hazards Classification of	identification the substance or	+49 (0)7024 9403-0 (Only available during office hours)	_
SEC	see section 1.3 TION 2: Hazards Classification of Classification a	identification the substance or ccording to Regu	+49 (0)7024 9403-0 (Only available during office hours)	
SEC	see section 1.3 TION 2: Hazards Classification of Classification a	identification the substance or ccording to Regu Serious eye damage/eye	+49 (0)7024 9403-0 (Only available during office hours) r mixture lation (EC) No 1272/2008 [CLP]	_
SEC	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A	identification the substance or ccording to Regu Serious eye damage/eye rmation	+49 (0)7024 9403-0 (Only available during office hours) r mixture lation (EC) No 1272/2008 [CLP]	BCOP-Test: Eye
SEC	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord	+49 (0)7024 9403-0 (Only available during office hours) r mixture Ilation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/	BCOP-Test: Eye
5EC 2.1	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and E	identification the substance or ccording to Regu Serious eye damage/eye rmation	+49 (0)7024 9403-0 (Only available during office hours) r mixture Ilation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/	BCOP-Test: Eye
5EC	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements	identification the substance or ccording to Regu Serious eye damage/eye rmation fied as hazardous accord UH-phrases: see section	+49 (0)7024 9403-0 (Only available during office hours) r mixture Ilation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/ 16.	BCOP-Test: Eye
1.4 SEC 2.1 2.2	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord UH-phrases: see section ding to Regulatio	+49 (0)7024 9403-0 (Only available during office hours) r mixture Ilation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/	BCOP-Test: Eye
5EC 2.1	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements Labelling accord	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord UH-phrases: see section ding to Regulatio	+49 (0)7024 9403-0 (Only available during office hours) r mixture Ilation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/ 16.	BCOP-Test: Eye
5EC	see section 1.3 TION 2: Hazards Classification of Classification and Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements Labelling accord Hazard pictogram	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord UH-phrases: see section ding to Regulation s	+49 (0)7024 9403-0 (Only available during office hours) r mixture Ilation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/ 16.	BCOP-Test: Eye
5EC 2.1	see section 1.3 TION 2: Hazards Classification of Classification and Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements Labelling accord Hazard pictogram Exclamation mark (Signal word	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord UH-phrases: see section ding to Regulation s	+49 (0)7024 9403-0 (Only available during office hours) r mixture Ilation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/ 16.	BCOP-Test: Eye
5EC	see section 1.3 TION 2: Hazards Classification of Classification and Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements Label elements Labelling accord Hazard pictogram Exclamation mark (Signal word Warning	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord UH-phrases: see section ding to Regulation s	+49 (0)7024 9403-0 (Only available during office hours) r mixture Ilation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/ 16.	BCOP-Test: Eye
5EC 2.1	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements Labelling accord Hazard pictogram Exclamation mark (Signal word Warning Hazard statement H319	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord UH-phrases: see section ding to Regulation s (GHS07)	+49 (0)7024 9403-0 (Only available during office hours) r mixture llation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/ n 16. on (EC) No. 1272/2008 [CLP]	BCOP-Test: Eye
5EC	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements Labelling accord Hazard pictogram Exclamation mark (Signal word Warning Hazard statement H319 Precautionary state	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord UH-phrases: see section ding to Regulation s (GHS07) causes serious eye tements	+49 (0)7024 9403-0 (Only available during office hours) r mixture flation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/ o 16. on (EC) No. 1272/2008 [CLP]	BCOP-Test: Eye
5EC 2.1	see section 1.3 TION 2: Hazards Classification of Classification a Eye Irrit. 2 ; H319 - Additional infor The mixture is classi Dam. 2A Remark Full text of H- and El Label elements Labelling accord Hazard pictogram Exclamation mark (Signal word Warning Hazard statement H319	identification the substance or ccording to Regu Serious eye damage/eye mation fied as hazardous accord UH-phrases: see section ding to Regulation s (GHS07)	+49 (0)7024 9403-0 (Only available during office hours) r mixture flation (EC) No 1272/2008 [CLP] e irritation : Category 2 ; Causes serious eye irritation. ding to regulation (EC) No 1272/2008 [CLP]. OECD 437/ n 16. on (EC) No. 1272/2008 [CLP]	BCOP-Test: Eye

Safety Data Sheet

Trade name :

according to Regulation (EC) No. 1907/2006 (REACH)

Version (Revision) : Revision date : 30.01.2019 4.0.2 (4.0.1) Print date : 06.02.2019 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local and national regulations. Other labelling 2.3 Other hazards Adverse human health effects and symptoms Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out. 2.4 Additional information

Lithofin KF Conditioning Cleaner

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

Alcohols, C12-15, branched and linear,ethoxylated and propoxylated ; EC No. : 639-733-1; CAS No. : 120313-48-6Weight fraction : $\geq 5 - < 10 \%$ Classification 1272/2008 [CLP] :Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Aquatic Acute 1 ; H400 Aquatic Chronic 3 ; H412

Additional information

All ingredients of this mixture are (pre)registered according to REACH regulation. Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Do not wash with: Cleaning agent, acidic Cleaning agent, alkaline Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

After ingestion

Call a physician immediately. Keep at rest. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed Notes for the doctor

Treat symptomatically.

Special treatment

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

Safety Data She according to Regulat		et on (EC) No. 1907/2006 (REACH)		(EN / D
	ade name :		Classer	
	sion date :	Lithofin KF Conditioning	Version (Revision) :	4.0.2 (4.0.1)
	date :	06.02.2019	version (keysion).	4.0.2 (4.0.1)
5.1	Extinguishing m	dia		
	Suitable exting Water spray ABC-po	iishing media		
	Unsuitable extine Full water jet Strong	iguishing media water jet		
5.2	Special hazards	rising from the substance or mixtu	re	
		oustion products		
	Carbon monoxide Ca			
5.3	Advice for firefig			
	Use suitable breathing			
		ve equipment for firefighters I breathing apparatus and chemical protective clo	thing	
5.4	Additional inform		uning.	
<i>.</i>		protect personnel and to cool endangered contain	ers. Do not allow run-off fro	om fire-fighting to
	enter drains or water	ourses. Do not inhale explosion and combustion gleasures to the fire surroundings.		
SEC	TION 6: Accident	al release measures		
5.1	Personal precau	ions, protective equipment and em	ergency procedures	
	•	on equipment (refer to section 8). Provide adequa		
5.2	Environmental p			· · · · · · · ,
	•	nto soil/subsoil. Do not allow to enter into surface	water or drains.	
5.3	Methods and ma	terial for containment and cleaning	up	
	For cleaning up	-	-	
	Suitable material for	aking up: Universal binder		
		Inticles and floor according to the environmental lesse of waste according to applicable legislation.	egislation. Retain contamina	ted washing water
5.4	Reference to oth			
).4	Safe handling: see see			
	···· J ····	upment: see section 8		
	Disposal: see section			
SEC	TION 7: Handling	and storage		
	_			
7.1	Precautions for s When using do not ea	-		
	Protective meas			
		ust always be designed so that the following is ex	cluded: Inhalation of vapour	s or sprav/mists
	Skin contact Eye con	act Wear personal protection equipment (refer to	section 8). Always close cor	ntainers tightly afte
		ct. Do not breathe gas/fumes/vapour/spray. Use o sible or not sufficient, the entire working area mus		
		plication of suitable work processes have priority		
	Measures to preve		,	
	The product is not:	Flammable Usual measures for fire prevention.		
	Fire class :	-		
	Shake well befor			
		ral occupational hygiene		
		f contaminated clothing and wash it before reuse.		
.2		fe storage, including any incompat	IDIIITIES	
		or storage rooms and vessels	A 1 1 1 1 1 1 1 1 1 1	
	Keen container tight	closed. Keep/Store only in original container. The	TIOOR SHOULD be leak tight	iointless and not

Keep container tightly closed. Keep/Store only in original container. The floor should be leak tight, jointless and not

	Safety Data Sheet (EN / D according to Regulation (EC) No. 1907/2006 (REACH)					
Trade name : Revision date : Print date :		Lithofin KF Condit 30.01.2019 06.02.2019	ioning Cleaner Version (Revision) :	4.0.2 (4.0.1)		
7.3	Hints on joint s Storage class (TR Protect from frost Recommended st Further informa Keep locked up and Specific end use Recommendati	GS 510) : 12 t nein orage temperature 5 - 25 °C ation on storage conditions out of reach of children. Keep containe :(s)	er tightly closed in a cool, well-ventilated p	lace.		
SEC	TION 8: Exposure	e controls/personal protect	ion			
8.1 8.2	Control paramet None Exposure contro Appropriate en					

Ensure adequate ventilation of the storage area.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Eye/face protection

Usually no personal eye/face protection necessary. Eye/face protection necessary at: Splashes, Contact with eyes, Spray application.

Suitable eye protection

Eye glasses with side protection goggles

Required properties DIN EN 166

Skin protection

Usually no personal skin protection necessary. Skin protection necessary at: Splashes, Contact with skin, Spray application.

Hand protection

Suitable gloves type : Gloves with long cuffs

Suitable material : NBR (Nitrile rubber), 0,4mm, >8h; Butyl caoutchouc, 0,5mm, >8h; FKM (fluoro rubber), 0,7mm, >8h;

Recommended glove articles : Manufacturer KCL GmbH/Eichenzell-Germany; Ansell/Yarra City-Australia Or comparable articles from other companies.

Additional hand protection measures : Check leak tightness/impermeability prior to use.

Remark : Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams are not substitutes for body protection.

Body protection

Protective clothing.

Suitable protective clothing : Chemical protection clothing Chemical resistant safety shoes

Required properties : alkali-resistant.

Protective clothing. : DIN EN ISO 20345 DIN EN 13034 DIN EN 14605

footwear : DIN EN 14404

Remark : Barrier creams are not substitutes for body protection.

Respiratory protection

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation aerosol or mist formation. high concentrations spray application

Suitable respiratory protection apparatus

Combination filtering device (EN 14387) Half-face mask (DIN EN 140) ABEK-P1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Print date :

Lithofin KF Conditioning Cleaner

30.01.2019 06.02.2019 Version (Revision) :

4.0.2 (4.0.1)

Remark

Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

General health and safety measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash contaminated clothing prior to reuse. Wash hands before breaks and after work. Apply skin care products after work. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	bable pily	bicai ana circ	micai propo			
Appearance :	Liquid					
Colour :	light blue					
Odour :	perfumed					
Safety relevan	t basis dat	ta				
Melting point/melt		(1013 hPa)	approx.	0	°C	
Initial boiling point range :	and boiling	(1013 hPa)	approx.	101	°C	
Decomposition tem	perature :	(1013 hPa)		not determined		
Flash point :				not applicable		closed cup (EN ISO 3679)
Ignition temperatu	re :			not determined		(
Sustaining combust	tion			No		UN Test L2:Sustained combustibility test
Lower explosion lin Upper explosion lin				not determined not determined		
Vapour pressure :		(50 °C)	<	3000	hPa	
Density :		(20 °C)		1	g/cm ³	Pyknometer (DIN EN ISO 2811-1)
Solvent separation	test :	(20 °C)	<	3	%	Test L1: Solvent separation test (UN)
Water solubility		(20 °C)		miscible		
pH :			approx.	11		DIN 19268
log P O/W :				not determined		(Mixture) ISO cup 4 mm
Flow time :		(23 °C)	approx.	12	S	(DIN EN ISO 2431)
Odour threshold : Vapourisation rate	:			not determined not determined		
VOC content-EC			approx.	0,9	Wt %	*
VOC-France				not applicable		Décret no 2011-321 du 23 mars 2011

(* VOC-EC = "Volatile organic compound (VOC)" means any organic compound having an initial boiling point less than or equal to 250° C measured at a standard pressure of 101,3 kPa; VOC-value in g/L)

9.2 **Other information**

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

afety Data She	et			(EN / [
cording to Regulat	ion (EC) No.	1907/2006 (REACH)		
r ade name : rision date : nt date :	Lithofin 30.01.2019 06.02.2019	KF Conditioning	Cleaner Version (Revision) :	4.0.2 (4.0.1)
		nd stored according to provisions.		
4 Conditions to av Stable under recomme		d handling conditions		
5 Incompatible ma	-			
-		queous solution in contact with met	tals.	
6 Hazardous deco	nposition pro	oducts		
Does not decompose	when used for inte	ended uses.		
CTION 11: Toxicol	ogical inform	nation		
1 Information on t	oxicological	effects		
Acute effects	_			
	•	paration/mixture itself. Data apply	to the main component.	
Acute oral toxicity Parameter :		.D50 (Alcohols, C12-15, branched and	d linear ethoxylated and	propovulated · CAS
		No. : 120313-48-6)		proposylated , end
Exposure route :		Dral		
Species : Effective dose :		Rat > 2000 mg/kg		
Acute dermal toxi		2000 mg/ng		
Parameter :		.D50 (Alcohols, C12-15, branched and	d linear, ethoxylated and	propoxylated ; CAS
Exposure route :		No. : 120313-48-6) Dermal		
Species :		Rat		
Effective dose :	>	> 2000 mg/kg		
Specific sympto				
		paration/mixture itself.		
Irritant and cor Irritation to eyes	rosive effect	5		
OECD 437/BCOP-Te	est: Eve Dam. 2A			
Assessment/class	•			
Causes serious eye	irritation.			
Sensitisation				
		paration/mixture itself.	• 、	
•		acute, subchronic, chron paration/mixture itself.	IC)	
		y, mutagenicity and toxic	ity for reproducti	on)
Carcinogenicity	lenogenier	y, matagementy and toxic	ity for reproducti	ony
	vailable on the pr	reparation/mixture itself.		
Other informatio				
No indication of h	-	city.		
Germ cell mutage There are no data a	•	reparation/mixture itself.		
No indications of hu				
Reproductive toxi	-			
There are no data a Other informatio		reparation/mixture itself.		
No indications of h		ve toxicity exist.		
Overall Assessmer				
The ingredients in t	his mixture do no	t meet the criteria for classification	as CMR category 1A or 1	LB according to CLP
STOT-single ex				
See SECTION 2.1 (cl	assification).			
STOT-repeated				

Sat	fety Data She	et				(EN / D)
	ording to Regulat		. 1907/2006 ((REACH)		
Revis	ade name : ion date : date :	Lithofi 30.01.2019 06.02.2019			4.0.2 (4.0.1)	
	See SECTION 2.1 (cl					
	Aspiration haza					
	See SECTION 2.1 (cl	assification).				
SEC	TION 12: Ecologi	cal informa	tion			
121	Toxicity					
12.1	-	n component. T	ere are no data ava	ailable on the pre	paration/mixture itself.	
	Aquatic toxicity	•				
	Acute (short-term		/			
	Parameter :	,		2-15, branched and	l linear, ethoxylated and	propoxylated ; CAS
	Species :		Daphnia			
	Effective dose :		> 1 - 10 mg/l			
	Exposure time :		48 h			
	Effects in sewag		offluent treatment	Defeue disebeurs	into courses planta the	
	needs to be neutralis		emuent treatment.	Before discharge	into sewage plants the p	broduct normally
12.2	Persistence and	-	-			
	There are no data ava	ilable on the pre	paration/mixture its	self.		
	Biodegradation					
	648/2004 on deterge	ents. Data to sup	port this assertion a	are held at the dis	y criteria as laid down in sposal of the competent a or at the request of a de	authorities of the
12.3	Bioaccumulative	potential				
	There are no data ava	ilable on the pre	paration/mixture its	self.		
12.4	Mobility in soil					
	There are no data ava	ilable on the pre	paration/mixture its	self.		
12.5	Results of PBT a	nd vPvB as	sessment			
	The substances in the	mixture do not	meet the PBT/vPvB	criteria according	to REACH, annex XIII.	
12.6	Other adverse ef	ffects				
	There are no data ava	ilable on the pre	paration/mixture its	self.		
12.7	Additional ecoto		information			
	Additional informat					
	The product has not	been tested.				
SEC	TION 13: Disposa	al considera	tions			

13.1 Waste treatment methods

Dispose according to legislation. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

Waste code (EWC/AVV): 07 06 08*

Waste code packaging

Waste code packaging: 15 01 10^\ast

Waste treatment options

29/35 - Do not empty into drains; dispose of this material and its container in a safe way. Delivery to an approved waste disposal company.

Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Lithofin KF Conditioning Cleaner Trade name : Revision date : 30.01.2019 Version (Revision) : 4.0.2 (4.0.1) Print date : 06.02.2019

cannot be properly cleaned must be disposed of.

13.2 Additional information

These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

- 14.3 Transport hazard class(es) No dangerous good in sense of these transport regulations.
- 14.4 Packing group No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not required.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or 15.1 mixture

EU legislation

REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (clp) Directive 2008/98/EC of the European Parliament and of the Council on waste (2000/532/EC) EN 2:1992 (DIN EN 2:2005-01)

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no. : None, if handled according to order.

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Other regulations (EU)

Regulation (EC) No. 648/2004 (Detergents regulation)

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. (Directive 2000/39/EC, Directive 2006/15/EC, Directive 2009/161/EC)

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals [PIC-Regulation]

REGULATION (EU) No 98/2013 on the marketing and use of explosives precursors: Not applicable.

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer Not applicable.

Contains the following substances that deplete the ozone layer: -

Regulation (EC) No 850/2004 [POP-Regulation]

Not applicable.

Name of the persistent organic pollutant (POP): -

National regulations

Observe in addition any national regulations!

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)				
Trade name :	Lithofin KF Conditioning	J Cleaner		
Revision date :	30.01.2019	Version (Revision) :		
Print date :	06.02.2019			

Germany: TRGS 400 (Risk assessment for activities involving hazardous substances) TRGS 500 (Protective measures) TRGS 510 (Storage of hazardous substances in non-stationary containers) TRGS 555 (Working instruction and information for workers) Water hazard class (WGK) Class : 2 (Significant hazardous to water) Classification according to AwSV Other regulations, restrictions and prohibition regulations Switzerland VOCV-Regulation Maximum VOC content (Switzerland) : < 3 Wt % according to VOCV 15.2 Chemical safety assessment

For this substance/mixture a chemical safety assessment has not been carried out.

15.3 Additional information

SECTION 16: Other information

16.1 Indication of changes

07. Hints on joint storage - Storage class

16.2 Abbreviations and acronyms

	•
ABC-Pulver	Extinguishing powder for fire class A, B and C
ABEK-P1	combination filter
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AVV	Abfallverzeichnis-Verordnung (Waste Regulation)
AWSV	Ordinance on facilities for the handling of substances hazardous to water
BGR	BG rules and regulations
ca.	circa
CAS	Chemical Abstract Service
CLP	classification, labelling and packaging
CMR	Carcinogen, mutagen or toxic for reproduction
DIN	German Institute for Standardization
DNEL	Derived No-Effect Level
EAK/EWC/EAC/CWR/CER	European Waste Catalogue
EC50 / CE50	Effective Concentration 50%
EG / EC / CE	European Community
EN	European Standard
EUH	supplemental hazard statement of the european union
GefStoffV	Gefahrstoffverordnung (Hazardous Substances Ordinance)
GHS / SGH	Globally Harmonised System
H-Sätze	hazard statements
IATA-DGR	International Air Transport Association-Dangerous Goods Regulations
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization-Technical Instructions
IMDG-Code	International Maritime Dangerous Goods Code
ISO	International Organization for Standardization
LC50 / CL50	Lethal Concentration 50%
LD50 / DL50	Lethal Dose 50%
log P O/W	Partition coefficient n-octanol/water

4.0.2 (4.0.1)

Safety Data Sheet					
according to Regulation (EC)) No. 1907	/2006	(REACH)	

Lithofin KF Conditioning Cleaner Trade name : 30.01.2019 Revision date :

Print date :

06.02.2019

Version (Revision) :

4.0.2 (4.0.1)

MARPOL	International Convention for the Prevention of Pollution from Ships (marine pollution)
NOAEL (DSET)	No observed adverse effect level
· · ·	No observed effect concentration
NOEC (CSEO)	
Nr.	Number
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative and toxic
pН	Potentia hydrogenii
PIC	prior informed consent
PNEC	Predicted No-Effect Concentration
POP	Persistent organic pollutants
P-Sätze	precautionary statements
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	International Carriage of Dangerous Goods by Rail
STEL / LECT	short-term exposure limit
TRGS	Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substances)
TWA / MPT	time-weighted average
UN/ONU	United Nations
VOC/COV/VOS/LZO	Volatile Organic Compound
VOCV	Ordinance on the Incentive Tax on Volatile Organic Compounds (SR 814.018)
vPvB	very persistent and very bioaccumulative
WGK	Wassergefährdungsklasse (Water hazard class)
	, ,

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3 Key literature references and sources for data

Regulation (EC) No 1272/2008 (GHS)

ECHA: Registered substances (https://echa.europa.eu/information-on-chemicals/registered-substances) REACH Art. 59: -Candidate List of substances of very high concern for Authorisation (https://www.echa.europa.eu/candidate-list-table)

Classification for mixtures and used evaluation method according to regulation (EC) 16.4 No 1272/2008 [CLP]

Hazard statements for physical hazards : On basis of test data. Hazard statements for health hazards : Calculation method. Hazard statements for environmental hazards : Calculation method.

16.5 Relevant H- and EUH-phrases (Number and full text)

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
 - Very toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

H400

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.