Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 7/27/2017 Revision date: 12/28/2017 Supersedes: 7/27/2017 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form Mixture

Name : PROBITANO R ANTIRRAYADO Comp A

Product code : 8001433A Product group Blend

Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

: Professional use Main use category

Use of the substance/mixture : Coating

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SEIRE PRODUCTS, S.L.

Los Muchos 34-36 Polígono Ind. Albolleque Sector III

E-19160 CHILOECHES, GUADALAJARA

E-mail address of competent person responsible for the SDS: oscar.velasco@seire.net

Emergency telephone number

Emergency number : 902.12.44.11 (8:00 - 17:30)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H226 Flammable liquids, Category 3

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P370+P378 - In case of fire: Use foam, carbon dioxide (CO2), extinguishing powder to

extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

9/21/2018 GB - en 1/7

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-methoxy-1-methylethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 108-65-6 (EC-No.) 203-603-9 (EC Index-No.) 607-195-00-7	43.2 - 72.9	Flam. Liq. 3, H226
xylene, mixture of isomers	(CAS-No.) 1330-20-7 (EC-No.) 215-535-7 (EC Index-No.) 601-022-00-9 (REACH-no) 01-2119488216-32	4 - 12	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304
2-methoxypropyl acetate	(CAS-No.) 70657-70-4 (EC-No.) 274-724-2 (EC Index-No.) 607-251-00-0	0.116 - 0.1827	Flam. Liq. 3, H226 Repr. 1B, H360D STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

fire

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case of : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

9/21/2018 GB - en 2/7

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof

equipment. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-methoxy-1-methylethyl acetate (108-65-6)			
EU	Local name	2-Methoxy-1-methylethylacetate	
EU	IOELV TWA (mg/m³)	275 mg/m³	
EU	IOELV TWA (ppm)	50 ppm	
EU	IOELV STEL (mg/m³)	550 mg/m³	
EU	IOELV STEL (ppm)	100 ppm	
EU	Notes	Skin	
United Kingdom	Local name	1-Methoxypropyl acetate	
United Kingdom	WEL TWA (mg/m³)	274 mg/m³	
United Kingdom	WEL TWA (ppm)	50 ppm	
United Kingdom	WEL STEL (mg/m³)	548 mg/m³	
United Kingdom	WEL STEL (ppm)	100 ppm	
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
xylene, mixture of isomers (1330-20-7)		
EU	IOELV TWA (mg/m³)	221 mg/m³ (Xylene, mixed isomers, pure; EU; Time- weighted average exposure limit 8 h; Indicative occupational exposure limit value)	
EU	IOELV TWA (ppm)	50 ppm (Xylene, mixed isomers, pure; EU; Time- weighted average exposure limit 8 h; Indicative occupational exposure limit value)	
EU	IOELV STEL (mg/m³)	442 mg/m³ (Xylene, mixed isomers, pure; EU; Short time value; Indicative occupational exposure limit value)	
EU	IOELV STEL (ppm)	100 ppm (Xylene, mixed isomers, pure; EU; Short time value; Indicative occupational exposure limit value)	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves. Type: Disposable gloves

Material: Nitrile rubber Permeation: 6 (> 480 minutes)

Thickness: > 0.4 mm Standard: EN 374

Eye protection: Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

9/21/2018 GB - en 3/7

Safety Data Sheet

according to Regulation (EU) 2015/830







Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Odour : No data available Odour threshold No data available : No data available pΗ Relative evaporation rate (butylacetate=1) : No data available : Not applicable Melting point Freezing point : No data available : No data available Boiling point : 38 °C ASTM D93 Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density No data available : 1.03 - 1.07 g/cm³ Density Solubility : No data available Log Pow : No data available

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : 500 (350 - 650) cP
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

2-methoxy-1-methylethyl acetate (108-65-6)	
LD50 oral rat	6190 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental
	value)

9/21/2018 GB - en 4/7

Safety Data Sheet

Log Koc

12.5.

Ecology - soil

Ecology - soil

xylene, mixture of isomers (1330-20-7)

Results of PBT and vPvB assessment

according to Regulation (EU) 2015/830

2-methoxy-1-methylethyl acetate (108-65-6)			
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male/female, Experimental value)		
xylene, mixture of isomers (1330-20-7)			
LD50 oral rat	3523 - 8600 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 3523 mg/kg bodyweight; Rat; OECD 401: Acute Oral Toxicity; Experimental value; >4000 mg/kg bodyweight; Rat; OECD 401: Acute Oral Toxicity; Experimental value)		
LD50 dermal rabbit	> 4200 mg/kg bodyweight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity)		
LC50 inhalation rat (mg/l)	29 mg/l/4h (Rat; Experimental value; 27.57 mg/l/4h; Rat; Experimental value)		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
SECTION 12: Ecological information			
2.1. Toxicity			
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.		
2-methoxy-1-methylethyl acetate (108-65-6)			
LC50 fish 1	100 - 180 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)		
EC50 Daphnia 1	373 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)		
EC50 96h algae (1)	> 1000 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Station system, Fresh water, Experimental value)		
12.2. Persistence and degradability			
2-methoxy-1-methylethyl acetate (108-65-6)			
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.		
xylene, mixture of isomers (1330-20-7)			
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available. Photolysis in the air.		
2-methoxypropyl acetate (70657-70-4)			
Persistence and degradability	Biodegradability in water: no data available.		
2.3. Bioaccumulative potential			
2-methoxy-1-methylethyl acetate (108-65-6)			
Log Pow	1.2 (Experimental value, Equivalent or similar to OECD 117, 20 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
xylene, mixture of isomers (1330-20-7)			
BCF fish 2	7 - 26 (BCF; 8 weeks; Oncorhynchus mykiss; Flow-through system; Fresh water)		
Log Pow	3.2 (Conclusion by analogy; 20 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
2-methoxypropyl acetate (70657-70-4)			
Bioaccumulative potential	No bioaccumulation data available.		
12.4. Mobility in soil			
2-methoxy-1-methylethyl acetate (108-65-6)			
Surface tension	29.4 mN/m (20 °C, 100 vol %)		
l an Maa	0.204 (law Kan OCAB)		

9/21/2018 GB - en 5/7

May be harmful to plant growth, blooming and fruit formation.

0.264 (log Koc, QSAR)

Highly mobile in soil.

Safety Data Sheet

according to Regulation (EU) 2015/830

Component	
2-methoxy-1-methylethyl acetate (108-65-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

III accordance with ADIA / NID / HATA / ADIA				
ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
1866	1866	1866	1866	1866
14.2. UN proper shi	pping name			·
RESIN SOLUTION	RESIN SOLUTION	Resin solution	RESIN SOLUTION	RESIN SOLUTION
Transport document de	scription		1	
UN 1866 RESIN	UN 1866 RESIN	UN 1866 Resin solution, 3,	UN 1866 RESIN	UN 1866 RESIN
SOLUTION, 3, III, (D/E)	SOLUTION, 3, III	III	SOLUTION, 3, III	SOLUTION, 3, III
14.3. Transport haz	ard class(es)			
3	3	3	3	3
3	3	3	3	3
14.4. Packing group) _			
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 51
Excepted quantities (ADR) : E1
Transport category (ADR) : 3

Orange plates

30 1866

Tunnel restriction code (ADR) : D/E EAC code : •3YE

- Transport by sea

Special provisions (IMDG) : 223, 955
Limited quantities (IMDG) : 5 L
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-E

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA max net quantity (IATA) : 60L

- Inland waterway transport

Classification code (ADN) : F1

9/21/2018 GB - en 6/7

Safety Data Sheet

according to Regulation (EU) 2015/830

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

- Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Transport category (RID) : 3

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H360D	May damage the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	

ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

9/21/2018 GB - en 7/7