

ARDEX K 511 Component B



Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017

Issue date: 11/21/2022

Revision date: 10/1/2025

Supersedes: 11/21/2022

Version: 2.0

www.ardex.com.tr

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ARDEX K 511 Component B
Product code : 45062

1.2. Relevant identified uses of the substance or mixture and uses advised against

Main use category : Professional use
Use of the substance/mixture : Floor Levelling Compounds

1.3. Details of the supplier of the safety data sheet

Manufacturer

ARDEX Yapı Malzemeleri Limited Sirketi
İstanbul Deri Organize Sanayi Bölgesi
Desen Sok. No:14/A C1 Özel Parsel
Tuzla/İstanbul Turkey
T +90 (216) 394 01 14 - F + 90 (216) 394 03 77
info@ardex.com.tr - www.ardex.com.tr

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Türkiye	Acil durum numarası		114	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.

Not classified

2.2. Label elements

Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.

Extra phrases : Dispose of the container and contents in the set state in accordance with applicable local/regional/national/international regulations.

2.3. Other hazards

Other hazards not contributing to the classification

PBT: not relevant – no registration required
vPvB: not relevant – no registration required



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 0.005	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	< 0.0015	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=100)

Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0.036 ≤ C ≤ 100) Skin Sens. 1A; H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317 (0.06 ≤ C < 0.6) Eye Irrit. 2; H319 (0.06 ≤ C < 0.6) Skin Irrit. 2; H315 (0.6 ≤ C ≤ 100) Eye Dam. 1; H318 (0.6 ≤ C ≤ 100) Skin Corr. 1C; H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Remove dirty clothes.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: If symptoms persist call a doctor.
------------------	--------------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not dangerous.
Explosion hazard : None.
Reactivity in case of fire : Product is not explosive.
Hazardous decomposition products in case of fire : None.

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area.
Firefighting instructions : Contain the extinguishing fluids by bunding.
Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.
Emergency procedures : Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

For further information refer to section 13. See Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : See Section 8. When mixing the components: Please note the safety data sheet for the second component.
Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Protect from sunlight.
Storage area : Keep out of frost.



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-methylpentane-2,4-diol (107-41-5)

DNEL/DMEL (Workers)

Acute - local effects, inhalation	98 mg/m ³
Long-term - systemic effects, dermal	42 mg/kg bw/day
Long-term - systemic effects, inhalation	44.4 mg/m ³
Long-term - local effects, inhalation	49 mg/m ³

DNEL/DMEL (General population)

Acute - local effects, inhalation	49 mg/m ³
Long-term - systemic effects, oral	1.5 mg/kg bw/day
Long-term - systemic effects, inhalation	7.8 mg/m ³
Long-term - systemic effects, dermal	15 mg/kg bw/day
Long-term - local effects, inhalation	25 mg/m ³

PNEC (Water)

PNEC aqua (freshwater)	0.429 mg/l
PNEC aqua (marine water)	0.043 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	1.59 mg/kg dwt
PNEC sediment (marine water)	0.159 mg/kg dwt

PNEC (Soil)

PNEC soil	0.066 mg/kg dwt
-----------	-----------------

PNEC (STP)

PNEC sewage treatment plant	20 mg/l
-----------------------------	---------

vinyl acetate, stabilised (108-05-4)

DNEL/DMEL (Workers)

Acute - systemic effects, inhalation	35.2 mg/m ³
Acute - local effects, inhalation	35.2 mg/m ³
Long-term - systemic effects, dermal	0.42 mg/kg bw/day
Long-term - systemic effects, inhalation	17.6 mg/m ³
Long-term - local effects, inhalation	17.6 mg/m ³

PNEC (Water)

PNEC aqua (freshwater)	0.016 mg/l
PNEC aqua (marine water)	0.002 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	0.067 mg/kg dwt
----------------------------	-----------------



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

vinyl acetate, stabilised (108-05-4)

PNEC sediment (marine water)	0.007 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.004 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	6 mg/l

1,2-benzisothiazol-3(2H)-one (2634-33-5)

DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0.966 mg/kg bw/day
Long-term - systemic effects, inhalation	6.81 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	1.2 mg/m ³
Long-term - systemic effects, dermal	0.345 mg/kg bw/day
PNEC (Water)	
PNEC aqua (freshwater)	4.03 µg/l
PNEC aqua (marine water)	0.403 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	49.9 µg/kg dw
PNEC sediment (marine water)	4.99 µg/kg dw
PNEC (Soil)	
PNEC soil	3 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1.03 mg/l

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

DNEL/DMEL (Workers)	
Acute - local effects, inhalation	0.04 mg/m ³
Long-term - local effects, inhalation	0.02 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, oral	0.11 mg/kg bw/day
Acute - local effects, inhalation	0.04 mg/m ³
Long-term - systemic effects, oral	0.09 mg/kg bw/day
Long-term - local effects, inhalation	0.02 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	3.39 µg/l
PNEC aqua (marine water)	3.39 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.027 mg/kg dwt
PNEC sediment (marine water)	0.027 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.01 mg/kg dwt



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

PNEC (STP)

PNEC sewage treatment plant 0.23 mg/l

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Hand protection : Protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Natural rubber, Latex, Butyl rubber, Nitrile rubber (NBR), Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer	Please follow the instructions related to the permeability and the penetration time provided by the manufacturer	0,1	Refer to supplier/manufacturer	EN ISO 374
Reusable gloves	Nitrile rubber (NBR), Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer	Please follow the instructions related to the permeability and the penetration time provided by the manufacturer	0,7	Refer to supplier/manufacturer	EN ISO 374

Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : No specific measures are necessary
Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Mixture contains one or more component(s) which have the following colour(s): Colourless Colourless to light yellow White-brown White
Odour : There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure.
Mixture contains one or more component(s) which have the following odour: Sweet odour Mild odour Fruity odour Strong odour Irritating/pungent odour Odourless
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : 100 °C
Flash point : No data available
Auto-ignition temperature : No data available



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

Decomposition temperature	: No data available
Flammability	: Not applicable
Vapour pressure	: 23 hPa
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 1
Solubility	: Forms emulsion in presence of water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : < 3 %

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

None.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

1,2-benzisothiazol-3(2H)-one (2634-33-5)

LD50 oral rat	490 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))
---------------	---



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LD50 dermal rat	> 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Dermal, 14 day(s))
LC50 Inhalation - Rat	0.17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: No data available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

1,2-benzisothiazol-3(2H)-one (2634-33-5)

LC50 - Fish [1]	2.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	2.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value, Lethal)
ErC50 algae	150 µg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LC50 - Fish [1]	0.19 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)
ErC50 algae	19.9 µg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, GLP)

12.2. Persistence and degradability

ARDEX K 511 Component B

Persistence and degradability	Not applicable.
-------------------------------	-----------------

1,2-benzisothiazol-3(2H)-one (2634-33-5)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

12.3. Bioaccumulative potential

ARDEX K 511 Component B

Bioaccumulative potential No bioaccumulation.

1,2-benzisothiazol-3(2H)-one (2634-33-5)

BCF - Fish [1] 6.6 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight)

Partition coefficient n-octanol/water (Log Pow) -0.9 – 0.99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)

Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

BCF - Fish [1] 41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)

Partition coefficient n-octanol/water (Log Pow) -0.32 – 0.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)

Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

ARDEX K 511 Component B

Mobility in soil No additional information available

Ecology - soil No information available.

1,2-benzisothiazol-3(2H)-one (2634-33-5)

Surface tension 72.6 mN/m (20 °C, 0.1 %, EU Method A.5: Surface tension)

Organic Carbon Normalized Adsorption Coefficient (Log Koc) 0.97 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)

Ecology - soil Highly mobile in soil.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Surface tension No data available in the literature

Organic Carbon Normalized Adsorption Coefficient (Log Koc) 0.81 – 1 (log Koc, Calculated value)

Ecology - soil Highly mobile in soil.

12.5. Results of PBT and vPvB assessment

PBT : PBT: not relevant – no registration required
vPvB : vPvB: not relevant – no registration required

12.6. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available
Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Do not put down the drain. Must undergo physico-chemical treatment prior to disposal.



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR
Transport hazard class(es) (ADR) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

ADN
Transport hazard class(es) (ADN) : Not applicable

RID
Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport
No data available

Transport by sea
No data available

Air transport
No data available

Inland waterway transport
No data available

Rail transport
No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable



ARDEX K 511 Component B

Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017
Issue date: 11/21/2022 Revision date: 10/1/2025 Supersedes: 11/21/2022 Version: 2.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

This product doesn't contain any substances that is controlled or prohibited for use according to the Regulation on Ozone Depleting Substances published in the Official Journal numbered 30031 on April 7, 2017.

Contains no substances with KDDIK Annex 17 restrictions

VOC content : < 3 %

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

Safety Data Sheet author's

Name	Gökhan Ardıç
Certificate number	Lonca KDU 34 / 2020.08
Certificate valid until	22/09/2025
Contact information	sds@chemleg.com +90 216 706 1307

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.