Printing date 30.06.2022

Version number 17 (replaces version 16)

Revision: 30.06.2022

ed against
Tel.: +49 (0)7156/35
163

- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

Dangerous components:

· Dangerous components:		
CAS: 108-65-6	2-methoxy-1-methylethyl acetate	≥10-<20%
EINECS: 203-603-9	🚸 Flam. Liq. 3, H226; 🕔 STOT SE 3, H336	1
Index number: 607-195-00-7		
Reg.nr.: 01-2119475791-29		
CAS: 111-76-2	2-butoxyethanol	2.5-5%
EINECS: 203-905-0	() Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2,	1
Index number: 603-014-00-0	H315; Eye Irrit. 2, H319	
Reg.nr.: 01-2119475108-36-xxxx	ATE: LD50 oral: 1,200 mg/kg	
• Additional information For the w	ording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.

• *After skin contact The product is not skin irritating.*

· After eye contact Rinse opened eye for several minutes under running water.

• After swallowing In case of persistent symptoms consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 17 (replaces version 16)

Revision: 30.06.2022

Product name CareRemover

(Contd. of page 1)

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

<u>SECTION 5: Firefighting measures</u>

5.1 Extinguishing media

· Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies. Inform respective authorities in case product reaches water or sewage system. Dilute with much water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

• Requirements to be met by storerooms and containers: No special requirements.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

108-65-6 2-methoxy-1-methylethyl acetate

WEL Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV

(Contd. on page 3)

[•] GF

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.06.2022

*

Version number 17 (replaces version 16)

Revision: 30.06.2022

Product name CareRemover

Ingredients with biological limit values.	
111-76-2 2-butoxyethanol	
BMGV 240 mmol/mol creatinine	
Medium: urine	
Sampling time: post shift	
Parameter: butoxyacetic acid	
-	vere valid during the compilation were used as basis.
·	3 1
8.2 Exposure controls	withou data: soo itom 7
Appropriate engineering controls No fu	
Individual protection measures, such as General protective and hygienic measures	
	ld be adhered to in handling the chemicals.
Breathing equipment: Not required.	u de uniereu io în nunuing îne chemicuis.
Hand protection	
	le and resistant to the product/ the substance/ the preparation.
	onsideration of the penetration times, rates of diffusion and th
degradation	J 1
Material of gloves	
Nitrile rubber, NBR	
	s not only depend on the material, but also on further marks of quality
	facturer. As the product is a preparation of several substances, the
resistance of the glove material can not	be calculated in advance and has therefore to be checked prior to the
application.	
Recommended thickness of the material:	$\sim > 0.4 \ mm$
Dou studiou time of alous material	
Penetration time of glove material	
The exact break trough time has to be j	found out by the manufacturer of the protective gloves and has to b
The exact break trough time has to be j observed.	
The exact break trough time has to be j observed. For the mixture of chemicals mention	oned below the penetration time has to be at least 480 minute
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part	oned below the penetration time has to be at least 480 minute
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part Value for the permeation: Level ≤ 6	oned below the penetration time has to be at least 480 minute 3: Level 6).
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part	oned below the penetration time has to be at least 480 minute 3: Level 6).
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recom	oned below the penetration time has to be at least 480 minute 3: Level 6). nmended during refilling.
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part Value for the permeation: Level ≤ 6	oned below the penetration time has to be at least 480 minute 3: Level 6). nmended during refilling.
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2 Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recom SECTION 9: Physical and chem	oned below the penetration time has to be at least 480 minute 3: Level 6). nmended during refilling. ical properties
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recom	oned below the penetration time has to be at least 480 minute 3: Level 6). nmended during refilling. ical properties chemical properties
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recom SECTION 9: Physical and chem 9.1 Information on basic physical and of General Information Physical state	oned below the penetration time has to be at least 480 minute 3: Level 6). nmended during refilling. ical properties chemical properties Fluid
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2 Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour:	oned below the penetration time has to be at least 480 minute 3: Level 6). nmended during refilling. ical properties chemical properties Fluid Colourless
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2 Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recom SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell:	oned below the penetration time has to be at least 480 minute 3: Level 6). nmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold:	oned below the penetration time has to be at least 480 minute 3: Level 6). mmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined.
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point:	oned below the penetration time has to be at least 480 minute 3: Level 6). mmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and of General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	oned below the penetration time has to be at least 480 minute 3: Level 6). mmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and of General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range	poned below the penetration time has to be at least 480 minute 3: Level 6). mmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling $100 ^{\circ}C$
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability	oned below the penetration time has to be at least 480 minute 3: Level 6). mmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling 100 °C Not applicable.
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower:	oned below the penetration time has to be at least 480 minute 3: Level 6). mmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling 100 °C Not applicable. Not determined.
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower: Upper:	poned below the penetration time has to be at least 480 minute 3: Level 6). Inmended during refilling. ical properties ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling $100 ^{\circ}C$ Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined.
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower:	oned below the penetration time has to be at least 480 minute 3: Level 6). nmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling 100 °C Not applicable. Not determined. Not determined. Not determined. S4 °C
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower: Upper:	poned below the penetration time has to be at least 480 minute 3: Level 6). Inmended during refilling. ical properties ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling $100 \ ^{C}$ Not applicable. Not determined. Not determined. Not determined. Not determined. S4 \ ^{C} sustained combustibility test L.2, Part IIProduct doe
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recom SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower: Upper: Flash point:	oned below the penetration time has to be at least 480 minute 3: Level 6). mmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined. Not determined. Not applicable. Not determined. Not determined. S4 °C sustained combustibility test L.2, Part IIProduct doe not sustain combustion up to and including 75 °C
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower: Upper: Flash point: Decomposition temperature:	provide the penetration time has to be at least 480 minute 3: Level 6). Inmended during refilling. ical properties ical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling $100 \ ^{C}$ Not applicable. Not determined. Not determined. S4 \ ^{C} sustained combustibility test L.2, Part IIProduct does not sustain combustion up to and including 75 \ ^{C} Not determined.
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C	poned below the penetration time has to be at least 480 minute 3: Level 6). Inmended during refilling. ical properties ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined. Not determined. Not applicable. Not determined. Not determined. S4 °C sustained combustibility test L.2, Part IIProduct does not sustain combustion up to and including 75 °C
The exact break trough time has to be j observed. For the mixture of chemicals mentic (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and of General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity:	poned below the penetration time has to be at least 480 minute 3: Level 6). Inmended during refilling. ical properties ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. S4 °C sustained combustibility test L.2, Part IIProduct doe. not sustain combustion up to and including 75 °C Not determined. 8.2
The exact break trough time has to be j observed. For the mixture of chemicals mentio (Permeation according to EN 374 Part 2) Value for the permeation: Level ≤ 6 Eye/face protection Safety glasses recon SECTION 9: Physical and chem 9.1 Information on basic physical and a General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and range Flammability Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C	nmended during refilling. ical properties chemical properties Fluid Colourless Fruit-like Not determined. Not determined d boiling 100 °C Not applicable. Not determined. Not determined. S4 °C sustained combustibility test L.2, Part IIProduct doe. not sustain combustion up to and including 75 °C Not determined.

Printing date 30.06.2022

Version number 17 (replaces version 16)

Revision: 30.06.2022

Product name CareRemover

	(Contd. of page
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Steam pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	1.008 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solids content:	5.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	26
• Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
<i>Pyrophoric liquids</i>	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	roiu
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
	Void
Desensitised explosives	roiu

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 5)

GB

Printing date 30.06.2022

Version number 17 (replaces version 16)

Revision: 30.06.2022

(Contd. of page 4)

Product name CareRemover

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 values that are relevant for classification:

108-65-6 2-methoxy-1-methylethyl acetate

Oral	LD50	6,200 mg/	kg (rat,)	
-		• • • •	14			

- Dermal LD50 >2,000 mg/kg (rabbit) Inhalative LC50/4 h 35.7 mg/l (rat)
- 111-76-2 2-butoxyethanol
- Oral LD50 1,200 mg/kg (ATE)
 - 1,480 mg/kg (rat)
- Inhalative LC50/4 h 450 mg/l (rat)
- 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)

GB

Printing date 30.06.2022

Version number 17 (replaces version 16)

Revision: 30.06.2022

Product name CareRemover

		(Contd. of page 5)
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk accordin instruments	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

Relevant phrases
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.

· Department issuing data specification sheet: Productmanagement.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 7)

GB

Printing date 30.06.2022

Version number 17 (replaces version 16)

Revision: 30.06.2022

Product name CareRemover

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · * **Data compared to the previous version altered.**

(Contd. of page 6)

GB